

Page 1/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2013 Version number 2 Revision: 23.09.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Lubricating Oil for food VG 68

- · Article number: 9005712-80, 9005712-81
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation Lubricating oil
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Alfa Laval Tumba AB Hans Stahles väg 7 S-147 80 Tumba Sweden +46 8 530 650 00 info.se@alfalaval.com

Contact details for all countries are continually updated on our website.

Please visit www.alfalaval.com to access the information.

st The latest version of Alfa Laval's SDS is available on our website.

- · Further information obtainable from: sds.question@alfalaval.com
- · 1.4 Emergency telephone number:

For immediate, life-threatening emergencies, call 999

For health advice and information (24h) dial 111 (NHS direct)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.
- Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

· 2.2 Label elements

· Labelling according to EU guidelines:

The product has been marked in accordance with EU Directives / respective national laws.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)



Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2013 Version number 2 Revision: 23.09.2013

Trade name: Lubricating Oil for food VG 68

(Contd. of page 1)

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void
- · Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Wash contaminated clothing before reuse.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

If experiencing respiratory symptoms:

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

Product in use under high pressure that has been forced under the skin, is a serious situation that requires IMMEDIATE hospital treatment.

· After eye contact:

Flush the eye (hold eyelids apart) for 15 minutes under running water. Remove contact lenses, if present and easy. Continue rinsing.

If symptoms persist consult doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do NOT induce vomiting.

Call a POISON CENTER or doctor/physician if you feel unwell.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

Water haze

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)



Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2013 Version number 2 Revision: 23.09.2013

Trade name: Lubricating Oil for food VG 68

(Contd. of page 2)

· For safety reasons unsuitable extinguishing agents: Water with full jet

• 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Carbon monoxide and carbon dioxide

Hydrocarbons

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapour.

Wear protective equipment. Keep unprotected persons away.

Avoid contact with spilled material.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Pick up mechanically.

Use only non-sparking tools.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid the formation of oil haze.

When using do not eat, drink or smoke.

Ensure that washing facilities are available at the work place.

See Section 8 for information on personal protection equipment.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

(Contd. on page 4)



Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2013 Version number 2 Revision: 23.09.2013

Trade name: Lubricating Oil for food VG 68

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a well-ventilated place. Keep cool.

Keep away from heat and direct sunlight.

Store only in the original receptacle.

- Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Protect from humidity and water.
- · 7.3 Specific end use(s)

Lubricating oil

Restricted to professional users.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

Oil mist including oil smoke

EXPOSURE CONTROLS | Short-term value: 3 mg/m³

Long-term value: 1 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Use only in well-ventilated areas.

In case of insufficient ventilation, wear suitable respiratory equipment.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Do not carry product impregnated cleaning cloths in trouser pockets.

Ground/bond container and receiving equipment.

Be sure to clean skin thoroughly after work and before breaks.

Take off contaminated clothing and wash before reuse.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

(Contd. on page 5)



Page 5/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2013 Version number 2 Revision: 23.09.2013

Trade name: Lubricating Oil for food VG 68

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Wear eye/face protection.

SECTION 9: Physical and chemical properties

· Body protection:

Protective work clothing

Oil resistant protective clothing

· Solubility in / Miscibility with

· Partition coefficient (n-octanol/water): Not determined.

· 9.1 Information on basic physical a · General Information	and chemical properties
Appearance:	
Form:	Fluid
Colour:	Transparent
· Odour:	Weak, characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-42 ℃
Boiling point/Boiling range:	Undetermined.
· Flash point:	> 250 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	>200 °C
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	0.858 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

Insoluble.

(Contd. on page 6)



Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2013 Version number 2 Revision: 23.09.2013

Trade name: Lubricating Oil for food VG 68

(Contd. of page 5)

· Viscosity:

Dynamic: Not determined. **Kinematic at 20 °C:** 320 mm²/s

· Solvent content:

Organic solvents: 0.0 %

• 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidizing agents.
- 10.4 Conditions to avoid

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

- 10.5 Incompatible materials: Store away from oxidizing agents.
- 10.6 Hazardous decomposition products: No further information, refer to section 5.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin:

Prolonged and / or repeated skin contact combined with poor personal hygiene may cause inflammation of the skin in the form of dermatitis, eczema and oil acne.

Product in use under high pressure that has been forced under the skin, is a serious situation that requires IMMEDIATE hospital treatment.

- on the eye: Contact with eyes may result in mild irritation.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

· Acute effects (acute toxicity, irritation and corrosivity)

Low acute toxicity, but aspiration following ingestion and vomiting may cause severe and potentially fatal chemical pneumonia.

Repeated dose toxicity Repeated exposure may cause skin dryness or cracking.

(Contd. on page 7)



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2013 Version number 2 Revision: 23.09.2013

Trade name: Lubricating Oil for food VG 68

(Contd. of page 6)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Product contains mineral oils of types shown to be noncarcinogenic in animal skin-painting studies. Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC). Other components are not known to be associated with carcinogenic effects.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability The product is not easily, but potentially biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

Hand over to hazardous waste disposers.

· European waste catalogue

The European Waste Catalogue (EWC) waste codes do not refer to product but to origin. The manufacturer is therefore unable to quote a waste code for products which are used in various industries. Any codes shown should be regarded as a recommendation to the user.

		,
	13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters
		05, 12 and 19)
13 01 00 waste hydraulic oils	waste hydraulic oils	
	13 01 11*	synthetic hydraulic oils

- Uncleaned packaging:
- Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

3B -



Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.09.2013 Version number 2 Revision: 23.09.2013

Trade name: Lubricating Oil for food VG 68

(Contd. of page 7)

SECTION 14: Transport information	on	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Anno MARPOL73/78 and the IBC Code	ex II of Not applicable.	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) no.1907/2006 (REACH)

EU regulation (EC) no 1272/2008 (CLP)

EC DIRECTIVE 2008/98/EC (waste)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

- · Department issuing MSDS: MACC -Materials & Chemistry Centre
- · * Data compared to the previous version altered.