

Page 1/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Alfa Caus
- · Article number: 3180126126, 3180126172, 3284000606
- 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Industrial cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Alfa Laval Technologies AB

SE-221 00 Lund

Sweden

+46 46 36 65 00

info.se@alfalaval.com

### · Further information obtainable from:

For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet

## · 1.4 Emergency telephone number:

For immediate, life-threatening emergencies, call 999. For health advice and information (24h) dial 111 (NHS direct).

In Europe: Call 112 and ask for poison information.

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

- · Signal word Danger
- Hazard-determining components of labelling:

sodium hydroxide

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

(Contd. on page 2)



Page 2/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 1)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: The product is not, nor contains, a substance that is, PBT.

**vPvB:** The product is not, nor contains a substance that is, vPvB.

## **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description:

Mixture: consisting of the following components.

Phosphonate		<5.00%
· Dangerous components:		
CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27	Sodium hydroxide  Met. Corr.1, H290; Skin Corr. 1A, H314  Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 %  Skin Corr. 1B; H314: 2 % ≤ C  < 5 %  Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %  Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	
CAS: 657-84-1 EINECS: 211-522-5	sodium toluene-4-sulphonate Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	5-<10%
Regulation (EC) No 648/2004 on detergents / Labelling for contents		

# Additional information:

<5% Non ionic tensides

Phosphonates

phosphonates

For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information:

Wash contaminated clothing before reuse.

Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air or oxygen; call for doctor.
- · After skin contact:

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Call a doctor immediately.

(Contd. on page 3)

<5%



Page 3/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 2)

· After eye contact:

Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

· After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label

· 4.2 Most important symptoms and effects, both acute and delayed

Corrosive effects. Can cause permanent eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Water

Foam

Fire-extinguishing powder

Carbon dioxide

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- **5.3 Advice for firefighters** Cool endangered receptacles with water spray.
- · Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

See Section 8 for information on personal protection equipment.

Wear protective equipment. Keep unprotected persons away.

Do not breathe vapour.

Do not get in eyes, on skin, or on clothing.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Send for recovery or disposal in suitable receptacles.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

GB



Page 4/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 3)

# **SECTION 7: Handling and storage**

### · 7.1 Precautions for safe handling

When diluting always pour product into water and not vice versa.

Ensure good ventilation/exhaustion at the workplace.

When using do not eat, drink or smoke.

See Section 8 for information on personal protection equipment.

Avoid contact with skin and eyes.

Ensure that washing facilities are available at the work place.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Keep container tightly closed.

Keep only in original packaging.

Store in a dry place.

- Information about storage in one common storage facility: Do not store together with acids.
- · Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

· 7.3 Specific end use(s)

Industrial cleaner

Professional use only.

## **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

CAS:	1310-73-2 sodium hydroxide
WEL	Short-term value: 2 mg/m³
· DNEL	_S

Oral	DNEL - Long term, Systemic effects	2.3 mg/kg bw/day (Worker)
Inhalative	DNEL - Long term, Local effects	1 mg/m3 (Worker)

Ingredients with limit values that require monitoring at the workplace:

## ·PNECs

## CAS: 1310-73-2 sodium hydroxide

PNEC 6.4 mg/L (Freshwater)

23 mg/L (Freshwater sediment)

0.64 mg/L (Saltwater)

2.3 mg/L (Saltwater sediment)

51 mg/L (Water treatment plant)

0.853 mg/L (Soil)

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.

(Contd. on page 5)



Page 5/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 4)

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

No further data; see item 7.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use only in well-ventilated areas.

In case of insufficient ventilation, wear suitable respiratory equipment.

· Respiratory protection:

Filter P2



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

### · Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

Chloroprene rubber, CR

Natural rubber, NR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Face protection



Tightly sealed goggles

### Body protection:

Use protective suit.

Alkaline resistant protective clothing

· Environmental exposure controls Do not allow to enter sewers/ surface or ground water.

GB



Page 6/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 5)

# **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Yellowish

Undistinguishable. · Odour: Undetermined. · Melting point/freezing point:

· Boiling point or initial boiling point and

>100 °C boiling range · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: Not determined. Not determined. · Upper: · Flash point: >100 °C

**Auto-ignition temperature:** Product is not selfigniting.

· Decomposition temperature: Not determined.

pH at 20 °C 13-14

Viscosity:

Kinematic viscosity Not applicable.

Not determined. Not applicable. Not determined.

· Solubility

· Dynamic:

· water: Fully miscible.

· Partition coefficient n-octanol/water (log

value) Not determined. Not determined. · Vapour pressure:

· Density and/or relative density

Density at 20 °C: 1.17 g/cm<sup>3</sup> Relative density Not determined. · Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

· Explosive properties: Product does not present an explosion hazard.

Void

· Change in condition

· Drip point:

Not applicable. Oxidising properties · Evaporation rate Not determined.

· Information with regard to physical hazard

classes · Explosives

· Pyrophoric solids

Void Void Flammable gases · Aerosols Void Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void

(Contd. on page 7)



Page 7/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Void

Trade name: Alfa Caus

(Contd. of page 6)

Self-heating substances and mixtures Substances and mixtures, which emit	Void
flammable gases in contact with water	Void
Oxidising liquids	Void
	Void
Oxidising solids	
Organic peroxides	Void
· Corrosive to metals	
May be corrosive to metals.	

# **SECTION 10: Stability and reactivity**

### · 10.1 Reactivity

Reacts with acids.

Forms heat.

### · 10.2 Chemical stability

**Desensitised explosives** 

Stable under normal temperature conditions and under recommended usage and storage.

### 10.3 Possibility of hazardous reactions

Violent reaction with water at higher temperatures.

Corrosive action on metals.

Reacts with base metals forming hydrogen.

- · 10.4 Conditions to avoid Do not store together with acids.
- 10.5 Incompatible materials: Store away from metals.
- · 10.6 Hazardous decomposition products: Poisonous gases/vapours

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity	
CAS: 1310-73-2 sodium hydroxide	
Oral LDLo 500 mg/kg (Rabbit) (LDLo)	
· LD/LC50 values relevant for classification:	
CAS: 1310-73-2 sodium hydroxide	
Oral LD50 2,000 mg/kg (Rat)	
· Skin correcion/irritation	

### · Skin corrosion/irritation

Causes severe skin burns and eye damage.

- · Serious eye damage/irritation Risk of serious damage to eyes.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information: Causes severe burns.

(Contd. on page 8)



Page 8/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 7)

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

Endocrine disrupting properties from https://edlists.org

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

### · Aquatic toxicity:

# CAS: 1310-73-2 sodium hydroxide

OAO: 1010 10 2 Socialii ilyaloxiac

LC50 (48 h) 189 mg/L (Fish) (OECD Guideline 203 (Fish, Acute Toxicity Test))

48 h, Leuciscud idus melanotus

EC50 >100 mg/L (Daphnia) (OECD Guideline 202 (Daphnia sp. Acute Immobilisati)

## 12.2 Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Behaviour in sewage processing plants:
- Type of test Effective concentration Method Assessment

1310-73-2 Sodium hydroxide: Short-term toxicity to aquatic invertebrates: Ceriodaphnia sp., Reliability: 2 (reliable with restrictions), Salinity: 500 µS/cm, Duration: 48 h, Endpoint: EC50, Effect concentration: 40.4 mg/L, Author: Warne M.St.J. and A.D. Schifko, Year: 1999, Title: Toxicity of Laundry Detergent Components to a Freshwater Cladoceran and their Contribution to Detergent Toxicity Bibliographic source: Ecotoxicology and Environmental Safety,44, 196-206.

## **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

### yes European waste catalogue

The European Waste Catalogue (EWC) waste codes do not refer to product but to origin. The manufacturer is therefore unable to quote a waste code for products which are used in various industries. Any codes shown should be regarded as a recommendation to the user.

	07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
	07 06 00	wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics
Ī	07 06 08*	other still bottoms and reaction residues

(Contd. on page 9)



Page 9/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 8)

- · Uncleaned packaging:
- · Recommendation:

Rinse cautiously with water for several minutes.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN1824
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1824 SODIUM HYDROXIDE SOLUTION mixture SODIUM HYDROXIDE SOLUTION mixture
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
0	
· Class · Label	8 Corrosive substances.
· 14.4 Packing group · ADR, IMDG, IATA	П
· 14.5 Environmental hazards: · Marine pollutant:	No
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Segregation groups</li> </ul>	Warning: Corrosive substances. : 80 F-A,S-B Alkalis
Stowage Category Segregation Code	A SG35 Stow "separated from" SGG1-acids
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 E
	(Contd. on page 10)



Page 10/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 9)

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1824 SODIUM HYDROXIDE SOLUTION MIXTURE, 8, II

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulation (EC) no 1272/2008 (CLP)

EC DIRECTIVE 2008/98/EC (waste)

EU Regulation (EC) no.1907/2006 (REACH)

(EC) nr 648/2004 (detergents)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing

(Contd. on page 11)



Page 11/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 10)

of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions.

www.alfalaval.com

### · Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

### Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations

## Contact:

Argentina: alfa.consulta@alfalaval.com Australia: australia.info@alfalaval.com Austria: info.mideurope@alfalaval.com Belgium: benelux.info@alfalaval.com Bolivia: alfa.consulta@alfalaval.com Brazil: alfalaval.br@alfalaval.com Brazil: alfalaval.br@alfalaval.com Bulgaria: bulgaria.info@alfalaval.com Canada: alfacan.info@alfalaval.com Chile: chile.informacion@alfalaval.com China: china.info@alfalaval.com Colombia: info.colombia@alfalaval.com Croatia: hrvatska.info@alfalaval.com

Czech Republic: czechrepublic.info@alfalaval.com

Denmark: info.nordic.dk@alfalaval.com Egypt: alme.marketing@alfalaval.com Estonia: estonia.info@alfalaval.com Finland: info.fi@alfalaval.com

France: environnement@alfalaval.com
Germany: info.mideurope@alfalaval.com
Greece: greece.info@alfalaval.com
Hungary: info.hu@alfalaval.com
India: india.info@alfalaval.com
Indonesia: alfalindo@alfalaval.com
Israel: israel.info@alfalaval.com
Italy: alfalaval.italia@alfalaval.com
Japan: hp.alfajp@alfalaval.com
Latvia: latvia.info@alfalaval.com
Lithuania: lithuania.info@alfalaval.com
Malaysia: malaysia.info@alfalaval.com
Mexico: mexico.info@alfalaval.com

The Netherlands: benelux.info@alfalaval.com New Zealand: newzealand.info@alfalaval.com

Norway: info.no@alfalaval.com Peru: ventas.peru@alfalaval.com

Philippines: philippines.info@alfalaval.com

Poland: poland.info@alfalaval.com Portugal: portugal.info@alfalaval.com Qatar: alme.marketing@alfalaval.com

(Contd. on page 12)



Page 12/12

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2022 Version number 8 (replaces version 7) Revision: 06.04.2022

Trade name: Alfa Caus

(Contd. of page 11)

Romania: romania.info@alfalaval.com Russia: moscow.response@alfalaval.com Singapore: al.singapore@alfalaval.com Slovak Republic: slovakia.info@alfalaval.com Slovenia: slovenija.info@alfalaval.com South Africa: info.sa@alfalaval.com Spain: info.spain@alfalaval.com Sweden: info.se@alfalaval.com

Switzerland: info.mideurope@alfalaval.com

Taiwan: taiwan.info@alfalaval.com Thailand: thailand.info@alfalaval.com Turkey: turkey@alfalaval.com Ukraine: ukraine.info@alfalaval.com

United Arab Emirates: alme.marketing@alfalaval.com

United Kingdom: general.uk@alfalaval.com

United States: customerservice.usa@alfalaval.com

Venezuela: venezuela.info@alfalaval.com Vietnam: vietnam.info@alfalaval.com • Date of previous version: 22.10.2019 • Version number of previous version: 7

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.