Page 1/11

# Safety Data Sheet acc. to OSHA HCS

	Version 14	Reviewed on 04/12/2022
<sup>*</sup> 1 Identification		
· Product identifier		
• Trade name: <u>Alfa Neutra</u>		
Article number: 3180126124     Application of the substance	e / the mixture Alkaline cleaner/	detergent
<ul> <li>Details of the supplier of the</li> <li>Supplier: Alfa Laval Technologies AB SE-221 00 Lund Sweden +46 46 36 65 00 info.se@alfalaval.com USA supplier: Distribution Centre Americas A 200 South Park Boulevard Greenwood, Indiana 46143 Tel switchboard: +1317802226</li> </ul>	AMDC	
<ul> <li>Information department: For additional questions regard</li> </ul>	rding safety data sheets please www.alfalaval.com or in safety <b>er:</b>	e contact your local Alfa Laval Sales data sheet under section 16: Other
* 2 Hazard(s) identification		
Classification of the substant Corrosive to Metals 1 H290 M		
Skin Corrosion 1A H314 C	auses severe skin burns and eye	e damage.
Label elements     GHS label elements     The product is classified and la     Hazard pictograms	abeled according to the Globally	Harmonized System (GHS).
Signal word Danger		
P280 Wear protein	als. ns and eye damage. athe dusts or mists. ective gloves/protective clothing/e or hair): Take off immediately a	Il contaminated clothing. Rinse skin
<ul> <li>Hazard-determining compon sodium hydroxide</li> <li>Hazard statements</li> <li>H290 May be corrosive to meta H314 Causes severe skin burn</li> <li>Precautionary statements</li> <li>P260 Do not breat</li> <li>P280 Wear protect</li> <li>P303+P361+P353 If on skin (doi:10.1000)</li> </ul>	als. ns and eye damage. athe dusts or mists. ective gloves/protective clothing/e or hair): Take off immediately a	

Page 2/11

20-40%

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

#### Trade name: Alfa Neutra

(Contd. of page 1) P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor/.

· Other hazards

#### · Results of PBT and vPvB assessment

• **PBT:** The product is not, nor contains, a substance that is PBT

· **vPvB:** The product is not, nor contains a substance that is, vPvB.

#### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

• **Description:** Mixture: consisting of the following components.

#### · Dangerous components:

CAS: 1310-73-2 sodium hydroxide

Corrosive to Metals 1, H290; Skin Corrosion 1A, H314

#### **4 First-aid measures**

#### · Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- After swallowing:
- Rinse out mouth and then drink plenty of water.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- **Most important symptoms and effects, both acute and delayed** Corrosive effects. Can cause permanent eve damage.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Water

Foam

Fire-extinguishing powder

For safety reasons unsuitable extinguishing agents: Not applicable.

- · Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

US

(Contd. of page 2)

Page 3/11

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

#### Trade name: Alfa Neutra

#### · Advice for firefighters

• Protective equipment: Wear self-contained respiratory protective device.

#### 6 Accidental release measures

<ul> <li>Personal precautions, protective equipment and emergency procedures</li> <li>See Section 8 for information on personal protection equipment.</li> </ul>
Wear protective equipment. Keep unprotected persons away.
Do not breathe vapour.
Do not get in eyes, on skin, or on clothing.
· Environmental precautions:
Dilute with plenty of water.
Send for recovery or disposal in suitable receptacles.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
· Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
· Protective Action Criteria for Chemicals
· PAC-1:
All components have the value 0.5 mg/m <sup>3</sup> .
· PAC-2:
All components have the value 5 mg/m <sup>3</sup> .
· PAC-3:
All components have the value 50 mg/m <sup>3</sup> .

#### 7 Handling and storage

· Handling:

#### · Precautions for safe handling

When diluting, always stir the product into standing water, not water to product. Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- When using do not eat, drink or smoke.

See Section 8 for information on personal protection equipment.

Avoid contact with skin and eyes.

Ensure that washing facilities are available at the work place.

· Information about protection against explosions and fires: No special measures required.

#### · Conditions for safe storage, including any incompatibilities

- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a dry place.

Store only in the original receptacle.

(Contd. on page 4)

<sup>·</sup> US

(Contd. of page 3)

Page 4/11

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

#### Trade name: Alfa Neutra

- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: Keep receptacle tightly sealed.

#### Specific end use(s)

Industrial cleaner

Only for trade users / technical specialists

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

· Components with limit values that require monitoring at the workplace:

#### CAS: 1310-73-2 sodium hydroxide

PEL Long-term value: 2 mg/m<sup>3</sup>

- REL Ceiling limit value: 2 mg/m<sup>3</sup>
- TLV Ceiling limit value: 2 mg/m<sup>3</sup>
- Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use only in well-ventilated areas.

In case of insufficient ventilation, wear suitable respiratory equipment.

· Breathing equipment:

Use suitable respiratory protective device only when aerosol or mist is formed. Filter P2



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### • Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- Material of gloves
- Natural rubber, NR

Chloroprene rubber, CR

Recommended thickness of the material:  $\geq$  1 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

(Contd. of page 4)

Page 5/11

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

#### Trade name: Alfa Neutra

• Penetration time of glove material The exact break through time has to be found out by

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Tightly sealed goggles

#### · Body protection:

Use protective suit. (EN 1406)

### Limitation and supervision of exposure into the environment

Do not allow to enter sewers/ surface or ground water.

### 9 Physical and chemical properties

<ul> <li>Information on basic physical and</li> <li>General Information</li> </ul>	
Appearance: Form: Color: Odor: Odor threshold:	Fluid Colorless Product specific Not determined.
pH-value at 20 °C (68 °F):	12.7
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. >100 °C (>212 °F)
Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
• Explosion limits: Lower: Upper: • Oxidizing properties	Not applicable. Not applicable. Not applicable.
· Vapor pressure:	Not determined.
Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate	1.28 g/cm³ (10.6816 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Fully miscible.

US

Page 6/11

#### Safety Data Sheet acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

Trade name: Alfa Neutra

Partition coefficient (n-octanol/water): Not determined.		
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
• Other information	No further relevant information available.	

#### **10 Stability and reactivity**

- Reactivity
- Reacts with acids.
- Forms heat.
- Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions
- Heating occurs when water is added. Reacts with acids.
- Reacts with certain metals.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Refer to section 10.3 above.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

· Acute toxicity:

CAS: 1310-73-2 sodium hydroxide

Oral LDLo 500 mg/kg (Rabbit) (LDLo)

#### · LD/LC50 values that are relevant for classification:

CAS: 1310-73-2 sodium hydroxide

### Oral LD50 2,000 mg/kg (Rat)

#### Primary irritant effect:

- $\cdot$  on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:
- May cause irreversible eye damage
- Strong caustic effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

(Contd. on page 7)

US

(Contd. of page 6)

Page 7/11

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

#### Trade name: Alfa Neutra

#### NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

#### **12 Ecological information**

#### · Toxicity

• Aquatic toxicity:

#### CAS: 1310-73-2 sodium hydroxide

LC50 (48 h) 189 mg/L (Fish) (OECD Guideline 203 (Fish, Acute Toxicity Test))

EC50 >100 mg/L (Daphnia) (OECD Guideline 202 (Daphnia sp. Acute Immobilisati)

• Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### 13 Disposal considerations

#### Waste treatment methods

· Recommendation:

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### · Uncleaned packagings:

· Recommendation:

Rinse cautiously with water for several minutes.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

· Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number	
DOT, ADR, IMDG, IATA	UN1824
UN proper shipping name	
DOT	Sodium hydroxide solution
ADR	1824 SODIUM HYDROXIDE SOLUTION
IMDG, IATA	SODIUM HYDROXIDE SOLUTION

Page 8/11

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

Trade name: Alfa Neutra

	(Contd. of page
Transport hazard class(es)	
DOT	
CORROSVE	
V	
Class Label	8 Corrosive substances 8
	0
ADR, IMDG, IATA	
ST St	
V	
Class Label	8 Corrosive substances
	8
Packing group DOT, ADR, IMDG, IATA	Ш
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category Segregation Code	A SG35 Stow "separated from" SGG1-acids
	Sess slow separated from See Facias
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
•	
DOT Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
ADR	
Excepted quantities (EQ)	Code: E2
· · · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 50
IMDG	11
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2
LACEPTER quantities (EW)	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 5
	ml
	(Contd. on page

(Contd. of page 8)

Page 9/11

### Safety Data Sheet

acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

#### Trade name: Alfa Neutra

· UN "Model Regulation":

UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

#### **15 Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) no.1907/2006 (REACH)

· Sara

#### Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

• Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). **Hazard pictograms** 



· Signal word Danger

• Hazard-determining components of labeling: sodium hydroxide

(Contd. on page 10)

US

(Contd. of page 9)

Page 10/11

#### Safety Data Sheet acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

#### Trade name: Alfa Neutra

#### · Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
Precautionary statements
P260 Do not breathe dusts or mists.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a poison center/doctor/.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for futher questions.

· Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations

#### Contact:

Argentina: alfa.consulta@alfalaval.com Australia: australia.info@alfalaval.com Austria: info.mideurope@alfalaval.com Belgium: benelux.info@alfalaval.com Bolivia: alfa.consulta@alfalaval.com Brazil: alfalaval.br@alfalaval.com Bulgaria: bulgaria.info@alfalaval.com Canada: alfacan.info@alfalaval.com Chile: chile.informacion@alfalaval.com China: china.info@alfalaval.com Colombia: info.colombia@alfalaval.com Croatia: hrvatska.info@alfalaval.com Czech Republic: czechrepublic.info@alfalaval.com Denmark: info.nordic.dk@alfalaval.com Egypt: alme.marketing@alfalaval.com Estonia: estonia.info@alfalaval.com Finland: info.fi@alfalaval.com France: environnement@alfalaval.com Germany: info.mideurope@alfalaval.com Greece: greece.info@alfalaval.com

(Contd. on page 11)

US

Page 11/11

#### Safety Data Sheet acc. to OSHA HCS

Printing date 04/12/2022

Version 14

Reviewed on 04/12/2022

#### Trade name: Alfa Neutra

(Contd. of page 10) Hungary: info.hu@alfalaval.com India: india.info@alfalaval.com Indonesia: alfalindo@alfalaval.com Israel: israel.info@alfalaval.com Italy: alfalaval.italia@alfalaval.com Japan: hp.alfajp@alfalaval.com Latvia: latvia.info@alfalaval.com Lithuania: lithuania.info@alfalaval.com Malaysia: malaysia.info@alfalaval.com Mexico: mexico.info@alfalaval.com The Netherlands: benelux.info@alfalaval.com New Zealand: newzealand.info@alfalaval.com Norway: info.no@alfalaval.com Peru: ventas.peru@alfalaval.com Philippines: philippines.info@alfalaval.com Poland: poland.info@alfalaval.com Portugal: portugal.info@alfalaval.com Qatar: alme.marketing@alfalaval.com Romania: romania.info@alfalaval.com Russia: moscow.response@alfalaval.com Singapore: al.singapore@alfalaval.com Slovak Republic: slovakia.info@alfalaval.com Slovenia: slovenija.info@alfalaval.com South Africa: info.sa@alfalaval.com Spain: info.spain@alfalaval.com Sweden: info.se@alfalaval.com Switzerland: info.mideurope@alfalaval.com Taiwan: taiwan.info@alfalaval.com Thailand: thailand.info@alfalaval.com Turkey: turkey@alfalaval.com Ukraine: ukraine.info@alfalaval.com United Arab Emirates: alme.marketing@alfalaval.com United Kingdom: general.uk@alfalaval.com United States: customerservice.usa@alfalaval.com Venezuela: venezuela.info@alfalaval.com Vietnam: vietnam.info@alfalaval.com Date of preparation / last revision 04/12/2022 / 13 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit** Corrosive to Metals 1: Corrosive to metals - Category 1 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A \* Data compared to the previous version altered.