Page 1/12

## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

# 1 Identification

## · Product identifier

### · Trade name: Alfa Phos

- Article number: 3180126125, 3180126171, 3180126192
- · Application of the substance / the mixture Industrial cleaner

### · Details of the supplier of the safety data sheet

- · Supplier:
- Alfa Laval Technologies AB SE-221 00 Lund Sweden +46 46 36 65 00 info.se@alfalaval.com USA supplier: Distribution Centre Americas AMDC 200 South Park Boulevard Greenwood, Indiana 46143 Tel switchboard: +13178022266

#### · Information department:

For additional questions regarding safety data sheets please contact your local Alfa Laval Sales Company which you find on www.alfalaval.com or in safety data sheet under section 16: Other Informaion

#### • Emergency telephone number: Call CHEMTREC

+1 703-741-5970 / 1-800-424-9300 CCN 844

## 2 Hazard(s) identification

· Classification of the	e substance or mixture			
Corrosive to Metals 1	H290 May be corrosive to metals.			
Skin Corrosion 1B	H314 Causes severe skin burns and eye damage.			
Eye Damage 1	H318 Causes serious eye damage.			
<ul> <li>Label elements</li> <li>GHS label elements</li> <li>The product is classif</li> <li>Hazard pictograms</li> </ul>	fied and labeled according to the Globally Harmonized System (GHS).			
• Signal word Danger				
•				
phosphoric acid	components of labeling:			
· Hazard statements				
H290 May be corrosive to metals.				
H314 Causes severe skin burns and eye damage.				
· Precautionary state	, ,			
	eep only in original container.			
P260 D0	o not breathe dusts or mists.			
P264 W	ash thoroughly after handling.			
P280 W	/ear protective gloves/protective clothing/eye protection/face protection. (Contd. on page 2)			



Page 2/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

(Contd. of page 1)

P301+P330+P332	I If swallowed: Rinse mouth. Do NOT induce vomiting.			
P303+P361+P353	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin			
	with water/shower.			
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.			
P305+P351+P338	B If in eyes: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
P310	Immediately call a poison center/doctor.			
P321	Specific treatment (see on this label).			
P363	Wash contaminated clothing before reuse.			
P390	Absorb spillage to prevent material damage.			
P405	Store locked up.			
P406	Store in corrosive resistant container with a resistant inner liner.			
P501	Dispose of contents/container in accordance with local/regional/national/			
	international regulations.			
· Other hazards No further relevant information available.				
· Results of PBT and vPvB assessment				
• <b>PBT</b> . The product is not nor contains, a substance that is PBT				

**PBT:** The product is not, nor contains, a substance that is PBT
 **vPvB:** The product is not, nor contains a substance that is, vPvB.

## 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7664-38-2 phosphoric acid

Corrosive to Metals 1, H290; Skin Corrosion 1B, H314

60-<75%

## 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately rinse with water.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse cautiously with water for 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a doctor immediately.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed

- Causes severe skin burns and eye damage.
- · Indication of any immediate medical attention and special treatment needed Treat symptomatically

(Contd. on page 3)



Page 3/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

(Contd. of page 2)

## **5** Fire-fighting measures

· Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment.

- For safety reasons unsuitable extinguishing agents: Not applicable.
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Cool endangered receptacles with water spray.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective equipment. Keep unprotected persons away. Do not breathe vapour. Do not get in eyes, on skin, or on clothing. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Send for recovery or disposal in suitable receptacles. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1:
- All components have the value 3 mg/m<sup>3</sup>.

· PAC-2:

All components have the value 30 mg/m<sup>3</sup>.

· PAC-3:

All components have the value 150 mg/m<sup>3</sup>.

## 7 Handling and storage

· Handling:

#### • Precautions for safe handling

When diluting, always stir the product into standing water, not water to product.

- Prevent formation of aerosols.
- Do not breathe vapour.

Avoid contact with skin and eyes.

Eye wash bottle or emergency eye wash fountain must be found in the work place

(Contd. on page 4)

US

(Contd. of page 3)

Page 4/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

Ensure that washing facilities are available at the work place. When using do not eat, drink or smoke.

### · Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Protect from frost.
- Keep receptacle tightly sealed.
- Information about storage in one common storage facility:
- Do not store together with alkalis (caustic solutions).
- Further information about storage conditions: Keep only in original container.
- Specific end use(s) Industrial cleaner
- Professional use only.

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: Use only in well-ventilated areas.

#### · Control parameters

• Components with limit values that require monitoring at the workplace:	<ul> <li>Components with</li> </ul>	limit values th	hat require i	monitoring	at the workplac	e:
--	-------------------------------------	-----------------	---------------	------------	-----------------	----

#### CAS: 7664-38-2 phosphoric acid

PEL Long-term value: 1 mg/m<sup>3</sup> REL Short-term value: 3 mg/m<sup>3</sup>

- Long-term value: 1 mg/m<sup>3</sup>
- TLV Short-term value: 3 mg/m<sup>3</sup> Long-term value: 1 mg/m<sup>3</sup>

#### · Exposure controls

- Personal protective equipment:
- General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of insufficient ventilation, wear suitable respiratory equipment. Filter P2



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

us.



(Contd. of page 4)

Page 5/12

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

· Material of gloves

Natural rubber, NR Chloroprene rubber (CR)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### Eye protection:



Tightly sealed goggles

· Body protection: Wear protective clothing.

· Limitation and supervision of exposure into the environment

Do not allow to enter sewers/ surface or ground water.

Information on basic physical and o General Information	chemical properties
Appearance:	
Form:	Fluid
Color:	Yellow-brown
Odor:	Not determined.
Odor threshold:	Not determined.
pH-value (10 g/l) at 20 °C (68 °F):	1.3-1.9
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>100 °C (>212 °F)
Flash point:	>100 °C (>212 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	Not applicable.
Upper:	Notappliable
Oxidizing properties	Not applicable.
Vapor pressure at 50 °C (122 °F):	100 hPa (75 mm Hg)
Density at 20 °C (68 °F):	1.55-1.59 g/cm³ (12.93475-13.26855 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.

- U



Page 6/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

	(Contd. of pa
Evaporation rate	Not determined.
Solubility in / Miscibility with	I
Water:	Fully miscible.
Partition coefficient (n-octar	ol/water): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC content:	0.00 %
Other information	No further relevant information available.

## **10 Stability and reactivity**

· Reactivity Reacts with alkali (lyes).

· Chemical stability Stable at ambient temperature.

· Possibility of hazardous reactions Reacts with alkali (lyes).

· Conditions to avoid Do not store together with alkalis (caustic solutions).

· Incompatible materials: Reacts with alkali (lyes).

· Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

#### · Information on toxicological effects

• Acute toxicity:

CAS: 7664-38-2 phosphoric acid

Oral NOAEL 250 mg/kg (Rat) (OECD Guideline 422)

## · LD/LC50 values that are relevant for classification:

Oral LD50 mg/kg (Rat)

#### CAS: 7664-38-2 phosphoric acid

Oral LD50 3,500 mg/kg (Rat)

#### Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

#### · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Irritating effect.

· Sensitization: No sensitizing effects known.

#### • Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

(Contd. of page 6)

Page 7/12

# Safety Data Sheet

acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

## • NTP (National Toxicology Program)

None of the ingredients is listed.

## · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

## **12 Ecological information**

#### · Toxicity

<ul> <li>Aquatic toxicity:</li> </ul>		
CAS: 7664-38-2 phosphoric acid		
LC50 (96 h)	>100 mg/L (Fish) (OECD Guideline 203)	
EC50 (48 h)	>100 mg/L (Daphnia) (OECD Guideline 202, EU Method C.2)	
EC50 (72 h)	>100 mg/L (Algae) (OECD Guideline 201)	
IC50, Activated sludge	270 mg/L (OECD Guideline 209)	
Develotopoo and dogr		

#### · Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable. The contained surfactants are biodegradable

## · Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

• Mobility in soil No further relevant information available.

#### Results of PBT and vPvB assessment

- · PBT: The product is not, nor contains, a substance that is PBT
- · vPvB:

The product is not, nor contains a substance that is, vPvB. Not applicable.

• Other adverse effects

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### **13 Disposal considerations**

## · Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

(Contd. of page 7)

Page 8/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

## · Uncleaned packagings:

• Recommendation:

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

UN-Number DOT, ADR, IMDG, IATA	UN1805
UN proper shipping name DOT ADR IMDG, IATA	Phosphoric acid solution 1805 Phosphoric acid solution PHOSPHORIC ACID, SOLUTION
Transport hazard class(es)	
DOT	
Class Label	8 Corrosive substances 8
ADR, IMDG, IATA	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category	Warning: Corrosive substances 80 F-A,S-B A
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 m
	(Contd. on page



Page 9/12

## Safety Data Sheet

acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

	(Contd. of page 8)
	Maximum net quantity per outer packaging: 1000 ml
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1805 PHOSPHORIC ACID SOLUTION, 8, III

## **15 Regulatory information**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

- No further relevant information available.
- · Sara

<ul> <li>Section 355 (extremely hazardous substances):</li> </ul>	
---	--

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

All ingredients are listed.

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

#### · Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

• EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### • TLV (Threshold Limit Value)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Page 10/12

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

· Hazard pictog	rams (Contd. of page 9
$\nabla$	
· Signal word D	anger
· Hazard-determ	nining components of labeling:
phosphoric acid	
· Hazard statem	ients
	corrosive to metals.
	severe skin burns and eye damage.
<ul> <li>Precautionary</li> </ul>	
P234	Keep only in original container.
P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
	331 If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P3	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse sk with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	338 If in eyes: Rinse cautiously with water for several minutes. Remove conta lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P390	Absorb spillage to prevent material damage.
P405	Store locked up.
P406	Store in corrosive resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/nationa international regulations.
· Chemical safe	ety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for futher questions. www.alfalaval.com

· Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations

(Contd. on page 11)

Page 11/12

### Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

#### Trade name: Alfa Phos

#### (Contd. of page 10) Contact: Argentina: alfa.consulta@alfalaval.com Australia: australia.info@alfalaval.com Austria: info.mideurope@alfalaval.com Belgium: benelux.info@alfalaval.com Bolivia: alfa.consulta@alfalaval.com Brazil: alfalaval.br@alfalaval.com Bulgaria: bulgaria.info@alfalaval.com Canada: alfacan.info@alfalaval.com Chile: chile.informacion@alfalaval.com China: china.info@alfalaval.com Colombia: info.colombia@alfalaval.com Croatia: hrvatska.info@alfalaval.com Czech Republic: czechrepublic.info@alfalaval.com Denmark: info.nordic.dk@alfalaval.com Egypt: alme.marketing@alfalaval.com Estonia: estonia.info@alfalaval.com Finland: info.fi@alfalaval.com France: environnement@alfalaval.com Germany: info.mideurope@alfalaval.com Greece: greece.info@alfalaval.com Hungary: info.hu@alfalaval.com India: india.info@alfalaval.com Indonesia: alfalindo@alfalaval.com Israel: israel.info@alfalaval.com Italy: alfalaval.italia@alfalaval.com Japan: hp.alfajp@alfalaval.com Latvia: latvia.info@alfalaval.com Lithuania: lithuania.info@alfalaval.com Malaysia: malaysia.info@alfalaval.com Mexico: mexico.info@alfalaval.com The Netherlands: benelux.info@alfalaval.com New Zealand: newzealand.info@alfalaval.com Norway: info.no@alfalaval.com Peru: ventas.peru@alfalaval.com Philippines: philippines.info@alfalaval.com Poland: poland.info@alfalaval.com Portugal: portugal.info@alfalaval.com Qatar: alme.marketing@alfalaval.com Romania: romania.info@alfalaval.com Russia: moscow.response@alfalaval.com Singapore: al.singapore@alfalaval.com Slovak Republic: slovakia.info@alfalaval.com Slovenia: slovenija.info@alfalaval.com South Africa: info.sa@alfalaval.com Spain: info.spain@alfalaval.com Sweden: info.se@alfalaval.com Switzerland: info.mideurope@alfalaval.com Taiwan: taiwan.info@alfalaval.com Thailand: thailand.info@alfalaval.com Turkey: turkey@alfalaval.com Ukraine: ukraine.info@alfalaval.com United Arab Emirates: alme.marketing@alfalaval.com United Kingdom: general.uk@alfalaval.com

(Contd. on page 12)

US

Page 12/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/27/2022

Version 14

Reviewed on 04/27/2022

## Trade name: Alfa Phos

	(Contd. of page 11)
United States: customerservice.usa@alfalaval.com	
Venezuela: venezuela.info@alfalaval.com	
Vietnam: vietnam.info@alfalaval.com	
Date of preparation / last revision 04/27/2022 / 13	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agre	eement Concerning
the International Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent. Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Corrosive to Metals 1: Corrosive to metals – Category 1	
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B	
Eye Damage 1: Serious eye damage/eye irritation – Category 1	
* Data compared to the previous version altered.	