



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** Lubricating Oil ISO VG 150
- **Article number:** 54609881, 54609883
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Lubricating oil
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**
Alfa Laval Technologies AB
SE-221 00 Lund
Sweden
+46 46 36 65 00
info.se@alfalaval.com
- **Further information obtainable from:**
For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet
- **1.4 Emergency telephone number:**
For immediate, life-threatening emergencies, call 999. For health advice and information (24h) dial 111 (NHS direct).

In Europe: Call 112 and ask for poison information.

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **2.3 Other hazards**
Prolonged and/or repeated skin contact may cause irritation.
Slight eye irritation may occur upon contact with the eyes.
- **Results of PBT and vPvB assessment**
- **PBT:** The product is not, nor contains, a substance that is, PBT.
- **vPvB:** The product is not, nor contains a substance that is, vPvB.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture: consisting of the following components.

(Contd. on page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

Trade name: Lubricating Oil ISO VG 150

(Contd. of page 1)

· Dangerous components:

Highly refined mineral oil (DMSO <3%, IP 346)
substance with a Community workplace exposure limit

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Call a POISON CENTER/doctor if you feel unwell.

· After inhalation: Supply fresh air; consult doctor if symptoms persist.

· After skin contact:

Wash with water and soap.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water and consult a doctor.

· After swallowing:

Rinse the mouth with water.

Do NOT induce vomiting.

Contact a doctor/physician.

· 4.2 Most important symptoms and effects, both acute and delayed

Prolonged and/or repeated skin contact may cause irritation.

Slight eye irritation may occur upon contact with the eyes.

High pressure injection under skin: local necrosis.

· 4.3 Indication of any immediate medical attention and special treatment needed

Product in use under high pressure that has been forced under the skin, is a serious situation that requires IMMEDIATE hospital treatment.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Foam

Carbon dioxide

Fire-extinguishing powder

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: Water with full jet

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Cool endangered receptacles with water spray.

GB

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

Trade name: Lubricating Oil ISO VG 150

(Contd. of page 2)

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Do not breathe vapour.

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid the formation of oil haze.

Ensure adequate ventilation

When using do not eat, drink or smoke.

Avoid contact with skin and eyes.

Avoid release to the environment.

See Section 8 for information on personal protection equipment.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

· Information about storage in one common storage facility: Store away from oxidising agents.

· Further information about storage conditions:

Protect from heat and direct sunlight.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s)

Professional use only.

Lubricant

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

Highly refined mineral oil (DMSO <3%, IP 346)

WEL Short-term value: 10 mg/m³

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls Use only in well-ventilated areas.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

Trade name: Lubricating Oil ISO VG 150

(Contd. of page 3)

- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
 - Wash hands before breaks and at the end of work.
 - Avoid contact with the eyes and skin.
 - Do not inhale gases / fumes / aerosols.
 - Do not carry product impregnated cleaning cloths in trouser pockets.
 - Ensure that washing facilities are available at the work place.
 - Keep away from foodstuffs, beverages and feed.
- **Respiratory protection:**
 - Use suitable respiratory protective device in case of insufficient ventilation.
- **Hand protection**
 - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
 - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - Nitrile rubber, NBR
- **Penetration time of glove material**
 - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection** Wear eye/face protection.
- **Body protection:** Wear protective clothing.
- **Environmental exposure controls**
 - Do not allow to enter sewers/ surface or ground water.
 - Send for recovery or disposal in suitable receptacles.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Colour:** Yellow
- **Odour:** Mineral-oil-like
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** -9 °C
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Lower and upper explosion limit**
- **Lower:** Not applicable.
- **Upper:** Not applicable.
- **Flash point:** 250 °C (ISO 2592)
- **Auto-ignition temperature:** Product is not selfigniting.
- **Decomposition temperature:** Not determined.
- **pH** Not determined.
- **Viscosity:**
- **Kinematic viscosity at 40 °C** 150 mm²/s
- **Dynamic:** Not determined.

(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

Trade name: Lubricating Oil ISO VG 150

(Contd. of page 4)

<ul style="list-style-type: none">· Solubility· water:· Partition coefficient n-octanol/water (log value)· Vapour pressure:· Density and/or relative density· Density at 20 °C:· Relative density· Vapour density	<p>Insoluble.</p> <p>log Pow >3</p> <p>Not determined.</p> <p>0.89 g/cm³ (ISO 12185)</p> <p>Not determined.</p> <p>Not determined.</p>
<ul style="list-style-type: none">· 9.2 Other information· Appearance:· Form:· Explosive properties:· Solvent content:· Organic solvents:· Change in condition· Drip point:· Oxidising properties· Evaporation rate	<p>Fluid</p> <p>Product does not present an explosion hazard.</p> <p>0.0 %</p> <p>Not applicable.</p> <p>Not determined.</p>
<ul style="list-style-type: none">· Information with regard to physical hazard classes· Explosives· Flammable gases· Aerosols· Oxidising gases· Gases under pressure· Flammable liquids· Flammable solids· Self-reactive substances and mixtures· Pyrophoric liquids· Pyrophoric solids· Self-heating substances and mixtures· Substances and mixtures, which emit flammable gases in contact with water· Oxidising liquids· Oxidising solids· Organic peroxides· Corrosive to metals· Desensitised explosives	<p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p> <p>Void</p>

SECTION 10: Stability and reactivity

- **10.1 Reactivity** Material is stable under normal conditions.
- **10.2 Chemical stability**
Stable under normal temperature conditions and under recommended usage and storage.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** None known.
- **10.5 Incompatible materials:**
Reacts with strong oxidising agents.

(Contd. on page 6)

GB



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

Trade name: Lubricating Oil ISO VG 150

(Contd. of page 5)

Do not store together with alkalis (caustic solutions).

· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

ATE (calc) >5000 mg/kg

- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Skin corrosion/irritation** Prolonged and / or repeated skin contact may cause irritation.
- **Serious eye damage/irritation** Contact with eyes may result in mild irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Other information (about experimental toxicology):**

If the product is overheated, fumes and vapors may be irritating to the upper respiratory tract and lungs.

· **Additional toxicological information:**

· **Acute effects (acute toxicity, irritation and corrosivity)**

High pressure injection under skin: local necrosis.

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Product contains mineral oils of types shown to be noncarcinogenic in animal skin-painting studies. Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC). Other components are not known to be associated with carcinogenic effects.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

Endocrine disrupting properties from <https://edlists.org>

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** Not harmful to aquatic organisms. Expected LC/EC 50 value: >100 mg/L.· **12.2 Persistence and degradability** The product is not easily, but potentially biodegradable.

· **12.3 Bioaccumulative potential**

Due to the distribution coefficient n-octanol/water an accumulation in organisms is possible.

· **12.4 Mobility in soil**

The product is not expected to be mobile in soil.

Low solubility, product floats on water. Absorbs to soil particles.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** The product is not, nor contains, a substance that is, PBT.· **vPvB:** The product is not, nor contains a substance that is, vPvB.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

Trade name: Lubricating Oil ISO VG 150

(Contd. of page 6)

12.7 Other adverse effects

Spills may form a film on the water surface. This film may cause physical damage to aquatic organisms and reduce oxygen transfer.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

Delivery of waste oil to officially authorised collectors only.

yes European waste catalogue

The European Waste Catalogue (EWC) waste codes do not refer to product but to origin. The manufacturer is therefore unable to quote a waste code for products which are used in various industries. Any codes shown should be regarded as a recommendation to the user.

13 00 00	OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19)
13 02 00	waste engine, gear and lubricating oils
13 02 05*	mineral-based non-chlorinated engine, gear and lubricating oils

Uncleaned packaging:**Recommendation:**

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information**14.1 UN number or ID number****ADR, ADN, IMDG, IATA**

Not regulated

14.2 UN proper shipping name**ADR, ADN, IMDG, IATA**

Not regulated

14.3 Transport hazard class(es)**ADR, ADN, IMDG, IATA****Class**

Not regulated

14.4 Packing group**ADR, IMDG, IATA**

Not regulated

14.5 Environmental hazards:**Marine pollutant:**

No

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

UN "Model Regulation":

Not regulated

GB

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

Trade name: Lubricating Oil ISO VG 150

(Contd. of page 7)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) no.1907/2006 (REACH)

EC DIRECTIVE 2008/98/EC (waste)

EU regulation (EC) no 1272/2008 (CLP)

TSCA (Toxic Substance Control Act) - All chemical components in this material are included in, or are exceptions from the TSCA listing.

DSL/NDSL - FULFILS

PICCS - FULFILS

ENCS - FULFILS

IECSC - FULFULS

AICS - FULFILS

KECL - FULFILS

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

www.alfalaval.com

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

(Contd. on page 9)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

Trade name: Lubricating Oil ISO VG 150

(Contd. of page 8)

· **Department issuing SDS:** Alfa Laval Corporate Standards & Regulatory Operations

· **Contact:**

Please contact your local Alfa Laval Sales Company for further questions.

Argentina: alfa.consulta@alfalaval.com

Australia: australia.info@alfalaval.com

Austria: info.mideurope@alfalaval.com

Belgium: benelux.info@alfalaval.com

Bolivia: alfa.consulta@alfalaval.com

Brazil: alfalaval.br@alfalaval.com

Bulgaria: bulgaria.info@alfalaval.com

Canada: alfacan.info@alfalaval.com

Chile: chile.informacion@alfalaval.com

China: china.info@alfalaval.com

Colombia: info.colombia@alfalaval.com

Croatia: hrvatska.info@alfalaval.com

Czech Republic: czechrepublic.info@alfalaval.com

Denmark: info.nordic.dk@alfalaval.com

Egypt: alme.marketing@alfalaval.com

Estonia: estonia.info@alfalaval.com

Finland: info.fi@alfalaval.com

France: environnement@alfalaval.com

Germany: info.mideurope@alfalaval.com

Greece: greece.info@alfalaval.com

Hungary: info.hu@alfalaval.com

India: india.info@alfalaval.com

Indonesia: alfalindo@alfalaval.com

Israel: israel.info@alfalaval.com

Italy: alfalaval.italia@alfalaval.com

Japan: hp.alfajp@alfalaval.com

Latvia: latvia.info@alfalaval.com

Lithuania: lithuania.info@alfalaval.com

Malaysia: malaysia.info@alfalaval.com

Mexico: mexico.info@alfalaval.com

The Netherlands: benelux.info@alfalaval.com

New Zealand: newzealand.info@alfalaval.com

Norway: info.no@alfalaval.com

Peru: ventas.peru@alfalaval.com

Philippines: philippines.info@alfalaval.com

Poland: poland.info@alfalaval.com

Portugal: portugal.info@alfalaval.com

Qatar: alme.marketing@alfalaval.com

Romania: romania.info@alfalaval.com

Russia: moscow.response@alfalaval.com

Singapore: al.singapore@alfalaval.com

Slovak Republic: slovakia.info@alfalaval.com

Slovenia: slovenija.info@alfalaval.com

South Africa: info.sa@alfalaval.com

Spain: info.spain@alfalaval.com

Sweden: info.se@alfalaval.com

Switzerland: info.mideurope@alfalaval.com

Taiwan: taiwan.info@alfalaval.com

Thailand: thailand.info@alfalaval.com

Turkey: turkey@alfalaval.com

(Contd. on page 10)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.03.2022

Version number 12 (replaces version 11)

Revision: 02.03.2022

Trade name: Lubricating Oil ISO VG 150

(Contd. of page 9)

Ukraine: ukraine.info@alfalaval.com

United Arab Emirates: alme.marketing@alfalaval.com

United Kingdom: general.uk@alfalaval.com

United States: customerservice.usa@alfalaval.com

Venezuela: venezuela.info@alfalaval.com

Vietnam: vietnam.info@alfalaval.com

· **Date of previous version:** 09.05.2018· **Version number of previous version:** 11· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

· *** Data compared to the previous version altered.**

GB