Page 1/9

Safety Data Sheet according to WHS Regulations

Printing date 12.05.2022

Version number 3

Revision: 12.05.2022

1 Identification
· Product identifier
Trade name: <u>Mereta 320</u>
 Article number: 61203671-09, 61203671-10, 61203671-59 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Lubricating oil
 Details of the supplier of the safety data sheet Supplier: Alfa Laval Technologies AB SE-221 00 Lund Sweden +46 46 36 65 00 info.se@alfalaval.com
Australian supplier: Alfa Laval Australia Pty Ltd Locked Bag 40, Blacktown Business Centre NSW - NSW-2148 Blacktown Australia Visit: 14 Healey Circuit, - NSW - NSW-2148 Huntingwood Tel switchboard: +61 2 8822 2700 - Fax switchboard: +61 2 8822 2799 www.alfalaval.com.au australia.info@alfalaval.com
 Further information obtainable from: For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet Emergency telephone number: Call 000 or 112 and ask for poison information. Australian Poisons Information Centre Tel:13 11 26
2 Hazard(s) Identification
 Classification of the substance or mixture The product is not classified, according to the Globally Harmonised System (GHS).
 Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Other hazards Results of PBT and vPvB assessment PBT: The product is not, nor contains, a substance that is, vPvB. vPvB: The product is not, nor contains a substance that is, vPvB.
3 Composition and Information on Ingredients
· Chemical characterisation: Mixtures

• **Description:** Synthetic base oil with additives.

(Contd. on page 2)

⁻ AU

Page 2/9

Safety Data Sheet according to WHS Regulations

Printing date 12.05.2022

Version number 3

Revision: 12.05.2022

Trade name: Mereta 320

	(Co	ontd. of page 1)		
Dangerous cor	nponents:			
CAS: 128-37-0	2,6-di-tert-butyl-p-cresol	0.25-<1%		
CAS: 110-25-8	oleoylsarcosine	0.1-<1%		
	Eye Dam. 1, H318; Acute Tox. 4, H332; Skin Irrit. 2, H315			
• Additional information: For the wording of the listed hazard phrases refer to section 16.				

4 First Aid Measures

• Description of first aid measures

General information:

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

- After inhalation: Supply fresh air; consult doctor if symptoms persist.
- · After skin contact:

Take off immediately all contaminated clothing.

Immediately rinse with water.

After eye contact: Rinse opened eye for several minutes under running water.

If symptoms persist consult a doctor.

After swallowing:

Rinse the mouth with water.

Do NOT induce vomiting.

Contact a doctor/physician.

• Most important symptoms and effects, both acute and delayed High pressure injection under skin: local necrosis.

Prolonged and/or repeated skin contact may cause irritation.

Slight eye irritation may occur upon contact with the eyes.

Indication of any immediate medical attention and special treatment needed

Product in use under high pressure that has been forced under the skin, is a serious situation that requires IMMEDIATE hospital treatment.

5 Fire Fighting Measures

- Extinguishing media
- · Suitable extinguishing agents:
- Foam

Fire-extinguishing powder

- Carbon dioxide
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device. Wear fully protective suit.
- Additional information

Cool endangered receptacles with water spray.

(Contd. on page 3)

٠AU

Page 3/9

Safety Data Sheet according to WHS Regulations

Printing date 12.05.2022

Version number 3

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 2) Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

Personal precautions, protective equipment and emergency procedures
 Particular danger of slipping on leaked/spilled product.
 Avoid contact with the eyes and skin.
 Do not inhale dust / smoke / mist.

 Environmental precautions:
 Avoid release to the environment.
 Inform respective authorities in case of seepage into water course or sewage system.

 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Send for recovery or disposal in suitable receptacles.

 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and Storage

· Handling:

Precautions for safe handling
Avoid the formation of oil haze.
When using do not eat, drink or smoke.
Avoid contact with skin and eyes.
See Section 8 for information on personal protection equipment.

· Conditions for safe storage, including any incompatibilities

- · Storage:
- **Requirements to be met by storerooms and receptacles:** Store in a well-ventilated place. Keep container tightly closed.

Store in a dry place. Protect from sunlight.

- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions:
- Recommended storage temperature: 5 35 °C (41 95 °F)
- Specific end use(s)
- Lubricating oil
- Professional use only.

8 Exposure controls and personal protection

· Additional information about design of technical facilities: Use only in well-ventilated areas.

· Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 128-37-0 2,6-di-tert-butyl-p-cresol

WES Long-term value: 10 mg/m³

(Contd. on page 4)

AU -

Page 4/9

Safety Data Sheet according to WHS Regulations


Printing date 12.05.2022

Version number 3

Revision: 12.05.2022

Trade name: Mereta 320

Melting point/freezing point:



Undetermined.

Page 5/9

Safety Data Sheet according to WHS Regulations

Printing date 12.05.2022

Version number 3

Revision: 12.05.2022

Trade name: Mereta 320

	(Contd. of page
Initial boiling point and boiling range	: Undetermined.
Flash point:	250 °C (ISO 2592)
Flammability (solid, gas):	Not applicable.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not applicable.
Vapour pressure:	Not determined.
Density at 20 °C:	0.85 g/cm³ (ISO 12185)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	320 mm²/s
• Other information	No further relevant information available.

10 Stability and Reactivity

· Reactivity Material is stable under normal conditions.

· Chemical stability

Stable under normal temperature conditions and under recommended usage and storage.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · **Incompatible materials:** Reacts with acids, alkalis and oxidising agents.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

CAS: 128-37-0 2,6-di-tert-butyl-p-cresol

Oral LD50 2,930 mg/kg (Rat) (OECD 401)

Dermal LD50 >5,000 mg/kg (Rat) (OECD 402)

(Contd. on page 6)

Page 6/9

Safety Data Sheet according to WHS Regulations

Printing date 12.05.2022

Version number 3

Revision: 12.05.2022

(Contd. of page 5)

Trade name: Mereta 320

- · Primary irritant effect:
- · Skin corrosion/irritation
- Caustic effect on skin and mucous membranes.
- Prolonged and / or repeated skin contact may cause irritation.
- · Serious eye damage/irritation
- Irritating effect.
- Contact with eyes may result in mild irritation.
- Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:
- The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.
- When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.
- Acute effects (acute toxicity, irritation and corrosivity)
- High pressure injection under skin: local necrosis.
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

 Toxicity Aquatic toxicity: 	
Harmful to aquatic organisms, may	cause long-term adverse effects in the aquatic environment.
CAS: 128-37-0 2,6-di-tert-butyl-p-	cresol
LC50 (96 h)	>0.57 mg/L (Fish) (OECD 203)
EC50 (48 h)	>0.17 mg/L (Daphnia)
EC50 (72 h)	>0.42 mg/L (Algae)
NOEC - No observed effect concen	tration >0.39 mg/l (Daphnia)
• Persistence and degradability The product is not easily, but potent	, ,
CAS: 128-37-0 2,6-di-tert-butyl-p-	
Biodegradability 30 % (OECD 3020	C)
Mobility in soil Slightly soluble. The product is not expected to be m Results of PBT and vPvB assess PBT: Not applicable. vPvB: Not applicable. Other adverse effects	ns components with the potential to bioaccumulate. nobile in soil. ment ter surface. This film may cause physical damage to aqua

Page 7/9

Safety Data Sheet according to WHS Regulations

Printing date 12.05.2022

Version number 3

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 6)

13 Disposal considerations

· Waste treatment methods

· Recommendation

Delivery of waste oil to offically authorised collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

14 Transport information		
· UN-Number · ADG, ADN, IMDG, IATA	Not regulated	
 UN proper shipping name ADG, ADN, IMDG, IATA 	Not regulated	
· Transport hazard class(es)		
· ADG, ADN, IMDG, IATA · Class	Not regulated	
 Packing group ADG, IMDG, IATA 	Not regulated	
 Environmental hazards: Marine pollutant: 	No	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.		
· UN "Model Regulation":	Not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals	
All ingredients are listed.	
Standard for the Uniform Scheduling of Medicines and Poisons	
None of the ingredients is listed.	
· Australia: Priority Existing Chemicals	
None of the ingredients is listed.	
GHS label elements Void Hazard pictograms Void Signal word Void	
	(Contd. on page 8)

Page 8/9

Safety Data Sheet according to WHS Regulations

Printing date 12.05.2022

Version number 3

Revision: 12.05.2022

(Contd. of page 7)

Trade name: Mereta 320

· Hazard statements Void

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions. www.alfalaval.com

· Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H332 Harmful if inhaled.

· Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations

Contact:

Please contact your local Alfa Laval Sales Company for further questions. Argentina: alfa.consulta@alfalaval.com Australia: australia.info@alfalaval.com Austria: info.mideurope@alfalaval.com Belgium: benelux.info@alfalaval.com Bolivia: alfa.consulta@alfalaval.com Brazil: alfalaval.br@alfalaval.com Bulgaria: bulgaria.info@alfalaval.com Canada: alfacan.info@alfalaval.com Chile: chile.informacion@alfalaval.com China: china.info@alfalaval.com Colombia: info.colombia@alfalaval.com Croatia: hrvatska.info@alfalaval.com Czech Republic: czechrepublic.info@alfalaval.com Denmark: info.nordic.dk@alfalaval.com Egypt: alme.marketing@alfalaval.com Estonia: estonia.info@alfalaval.com Finland: info.fi@alfalaval.com France: environnement@alfalaval.com Germany: info.mideurope@alfalaval.com Greece: greece.info@alfalaval.com Hungary: info.hu@alfalaval.com India: india.info@alfalaval.com

Page 9/9

Safety Data Sheet according to WHS Regulations

Printing date 12.05.2022

Version number 3

Revision: 12.05.2022

Trade name: Mereta 320

(Contd. of page 8) Indonesia: alfalindo@alfalaval.com Israel: israel.info@alfalaval.com Italy: alfalaval.italia@alfalaval.com Japan: hp.alfajp@alfalaval.com Latvia: latvia.info@alfalaval.com Lithuania: lithuania.info@alfalaval.com Malaysia: malaysia.info@alfalaval.com Mexico: mexico.info@alfalaval.com The Netherlands: benelux.info@alfalaval.com New Zealand: newzealand.info@alfalaval.com Norway: info.no@alfalaval.com Peru: ventas.peru@alfalaval.com Philippines: philippines.info@alfalaval.com Poland: poland.info@alfalaval.com Portugal: portugal.info@alfalaval.com Qatar: alme.marketing@alfalaval.com Romania: romania.info@alfalaval.com Russia: moscow.response@alfalaval.com Singapore: al.singapore@alfalaval.com Slovak Republic: slovakia.info@alfalaval.com Slovenia: slovenija.info@alfalaval.com South Africa: info.sa@alfalaval.com Spain: info.spain@alfalaval.com Sweden: info.se@alfalaval.com Switzerland: info.mideurope@alfalaval.com Taiwan: taiwan.info@alfalaval.com Thailand: thailand.info@alfalaval.com Turkey: turkey@alfalaval.com Ukraine: ukraine.info@alfalaval.com United Arab Emirates: alme.marketing@alfalaval.com United Kingdom: general.uk@alfalaval.com United States: customerservice.usa@alfalaval.com Venezuela: venezuela.info@alfalaval.com Vietnam: vietnam.info@alfalaval.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 * * Data compared to the previous version altered.