Page 1/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
· 1.1 Product identifier
· Trade name: Paste P1900FM
 Article number: 53708607 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Grease
 1.3 Details of the supplier of the safety data sheet Supplier: Alfa Laval Technologies AB SE-221 00 Lund Sweden +46 46 36 65 00 info.se@alfalaval.com
 Further information obtainable from: For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet 1.4 Emergency telephone number: For immediate, life-threatening emergencies, call 999. For health advice and information (24h) dial 111 (NHS direct).
In Europe: Call 112 and ask for poison information.
SECTION 2: Hazards identification
 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms Void Signal word Void Hazard statements H412 Harmful to aquatic life with long lasting effects. Precautionary statements P273 Avoid release to the environment. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: The product is not, nor contains, a substance that is, PBT.
vPvB: The product is not, nor contains a substance that is, vPvB.

(Contd. on page 2)



Page 2/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

Trade name: Paste P1900FM

		(Contd. of page
SECTION 3: Compositi	on/information on ingredients	
· 3.2 Mixtures		
· Description:		
CAS: 8042-47-5 EINECS: 232-455-8 Reg.nr.: 01-2119487078-27	White mineral oil, petroleum	50-100%
CAS: 54326-11-3 EINECS: 259-105-7 Reg.nr.: 01-2120127786-48	Aluminum hydroxide benzoate stearate	1-<5%
· Dangerous components:		`
CAS: 1314-13-2 EINECS: 215-222-5 Index number: 030-013-00-7 Reg.nr.: 01-2119463881-32	zinc oxide Aquatic Acute 1, H400; Aquatic Chronic 1, H410	1-<2.5%
SECTION 4: First aid m	the wording of the listed hazard phrases refer to sec	
 • 4.1 Description of first aid n • General information: In case of accident or if you possible). • After inhalation: Supply frest • After skin contact: Wash with water and soap. If symptoms persist consult a • After eye contact: Rinse with water. If symptoms persist consult a 	neasures feel unwell, seek medical advice immediately (show sh air; consult doctor if symptoms persist. doctor.	w the label whe

• After swallowing:

Rinse the mouth with water.

Do NOT induce vomiting.

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Alcohol resistant foam Fire-extinguishing powder
- Water haze
- Carbon dioxide

Page 3/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

(Contd. of page 2)

Trade name: Paste P1900FM

Use fire extinguishing methods suitable to surrounding conditions. • For safety reasons unsuitable extinguishing agents: Not applicable. • 5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released: Carbon monoxide and carbon dioxide Phosphorus oxides (e.g. P2O5) Sulphur oxides (SOx) Metal oxides • 5.3 Advice for firefighters • Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit. • Additional information Cool endangered receptacles with water spray. SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures See Section 8 for information on personal protection equipment. Do not breathe vapour.
 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. Send for recovery or disposal in suitable receptacles.
 6.3 Methods and material for containment and cleaning up:
- Send for recovery or disposal in suitable receptacles. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Eye wash bottle or emergency eye wash fountain must be found in the work place. Handle with care. Avoid jolting, friction and impact.

When using do not eat, drink or smoke.

See Section 8 for information on personal protection equipment.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- **Requirements to be met by storerooms and receptacles:** Store in cool, dry conditions in well sealed receptacles.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s)

Grease

Professional use only.

(Contd. on page 4)

EU



Page 4/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

Trade name: Paste P1900FM

(Contd. of page 3)

SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace. DNELs CAS: 1314-13-2 zinc oxide Oral DNEL - Long term, Systemic effects 0.83 mg/m3/day (Consumer) Dermal DNEL - Long term, Systemic effects 83 mg/kg/day (Consumer) 83 mg/kg/day (Worker) Inhalative DNEL - Long term, Systemic effects 2.5 mg/kg/day (Consumer) 5 mg/kg/day (Worker) **PNECs** CAS: 1314-13-2 zinc oxide PNEC 0.0206 mg/L (Freshwater) 117.8 mg/L (Freshwater sediment) 0.0061 mg/L (Saltwater) 56.5 mg/L (Saltwater sediment) 0.052 mg/L (Water treatment plant) 35.6 mg/L (Soil) · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls • Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures: Wash hands before breaks and at the end of work. Use only in well-ventilated areas. In case of insufficient ventilation, wear suitable respiratory equipment. · Respiratory protection: Not required. · Hand protection The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye/face protection Goggles recommended during refilling (Contd. on page 5)



Page 5/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

(Contd. of page 4)

Trade name: Paste P1900FM

· Body protection:

Protective work clothing

• Environmental exposure controls Do not allow to enter sewers/ surface or ground water.

General Information	chemical properties
Colour:	White
Odour:	Weak, characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point an	ıd
boiling range	Undetermined.
Flammability	Not applicable.
Lower and upper explosion limit	Not applicable.
Flash point:	>200 °C
Decomposition temperature:	Not determined.
рН	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (I	log
value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	1.15 g/cm³
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Highly viscous
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Drip point:	
Oxidising properties	Not applicable.
Evaporation rate	Not determined.
Information with regard to physical ha	azard
classes	
Explosives	Void
Flammable gases	Void
Aerosols Oxidising gases	Void Void



Page 6/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

Trade name: Paste P1900FM

		(Contd. of page s
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity Reacts with strong oxidising agents.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Iron

• 10.6 Hazardous decomposition products: No further information, refer to section 5.

SECTION 11: Toxicologic	cal information
-------------------------	-----------------

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values relev	vant for classification:
Oral	LD50	>5,000 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg
CAS: 131	4-13-2 zinc	oxide
Oral	LD50	>5,000 mg/kg (Rat)
Inhalative	LC50 (4 h)	5.7 mg/L (Rat)
· Skin corr	osion/irrita	tion
Based on	available da	ata, the classification criteria are not met.
CAS: 131	4-13-2 zinc	oxide
Irritation o	f skin Skin	Corrosion/Irritation 0 (Rabbit) (OECD test 404)
· Serious e	ye damage	/irritation
Based on	available da	ata, the classification criteria are not met.
	4-13-2 zinc	
Irritation o	f eyes Serie	ous Eye Damage/Irritation 0 (Rabbit) (OECD test 405)
· Respirato	ory or skin s	sensitisation Based on available data, the classification criteria are not met.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)

EU



Page 7/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

Trade name: Paste P1900FM

(Contd. of page 6)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- Endocrine disrupting properties
- Endocrine disrupting properties from https://edlists.org
- None of the ingredients is listed.

SECTION 12: Ecological informatio	n
-----------------------------------	---

· 12.1 Toxicity

• Aquatic toxicity:

CAS: 1314-13-2 zinc oxide

LC50 (96 h) 6-10 mg/L (Fish)

EC50 (48 h) 2-10 mg/L (Daphnia)

EC50 (72 h) 0.17 mg/L (Algae)

12.2 Persistence and degradability

Not easily biodegradable

The product is virtually insoluble in water.

12.3 Bioaccumulative potential

The product is not expected to bioconcentrate significantly in organisms.

• 12.4 Mobility in soil No further relevant information available.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** The product is not, nor contains, a substance that is, PBT.
- \cdot **vPvB**: The product is not, nor contains a substance that is, vPvB.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful to fish

- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- · Recommendation
- Hand over to hazardous waste disposers.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

⁻ EU



Page 8/11

(Contd. of page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

Trade name: Paste P1900FM

· yes European waste catalogue

The European Waste Catalogue (EWC) waste codes do not refer to product but to origin. The manufacturer is therefore unable to quote a waste code for products which are used in various industries. Any codes shown should be regarded as a recommendation to the user.

	5
12 00 00	WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS
12 01 00	wastes from shaping and physical and mechanical surface treatment of metals and plastics
12 01 12*	spent waxes and fats

· Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information	tion	
· 14.1 UN number or ID number · ADR, IMDG, IATA	Not regulated	
 14.2 UN proper shipping name ADR, IMDG, IATA 	Not regulated	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Not regulated	
 14.4 Packing group ADR, IMDG, IATA 	Not regulated	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	ing to Not applicable.	
· UN "Model Regulation":	Not regulated	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulation (EC) no 1272/2008 (CLP) EC DIRECTIVE 2008/98/EC (waste) EU Regulation (EC) no.1907/2006 (REACH)

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 9)

⁻ EU

Page 9/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

(Contd. of page 8)

Trade name: Paste P1900FM

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions. www.alfalaval.com

· Relevant phrases

H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations

· Contact:

Argentina: alfa.consulta@alfalaval.com Australia: australia.info@alfalaval.com Austria: info.mideurope@alfalaval.com Belgium: benelux.info@alfalaval.com Bolivia: alfa.consulta@alfalaval.com Brazil: alfalaval.br@alfalaval.com Bulgaria: bulgaria.info@alfalaval.com Canada: alfacan.info@alfalaval.com Chile: chile.informacion@alfalaval.com China: china.info@alfalaval.com

Page 10/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

Trade name: Paste P1900FM

(Contd. of page 9) Colombia: info.colombia@alfalaval.com Croatia: hrvatska.info@alfalaval.com Czech Republic: czechrepublic.info@alfalaval.com Denmark: info.nordic.dk@alfalaval.com Egypt: alme.marketing@alfalaval.com Estonia: estonia.info@alfalaval.com Finland: info.fi@alfalaval.com France: environnement@alfalaval.com Germany: info.mideurope@alfalaval.com Greece: greece.info@alfalaval.com Hungary: info.hu@alfalaval.com India: india.info@alfalaval.com Indonesia: alfalindo@alfalaval.com Israel: israel.info@alfalaval.com Italy: alfalaval.italia@alfalaval.com Japan: hp.alfajp@alfalaval.com Latvia: latvia.info@alfalaval.com Lithuania: lithuania.info@alfalaval.com Malaysia: malaysia.info@alfalaval.com Mexico: mexico.info@alfalaval.com The Netherlands: benelux.info@alfalaval.com New Zealand: newzealand.info@alfalaval.com Norway: info.no@alfalaval.com Peru: ventas.peru@alfalaval.com Philippines: philippines.info@alfalaval.com Poland: poland.info@alfalaval.com Portugal: portugal.info@alfalaval.com Qatar: alme.marketing@alfalaval.com Romania: romania.info@alfalaval.com Russia: moscow.response@alfalaval.com Singapore: al.singapore@alfalaval.com Slovak Republic: slovakia.info@alfalaval.com Slovenia: slovenija.info@alfalaval.com South Africa: info.sa@alfalaval.com Spain: info.spain@alfalaval.com Sweden: info.se@alfalaval.com Switzerland: info.mideurope@alfalaval.com Taiwan: taiwan.info@alfalaval.com Thailand: thailand.info@alfalaval.com Turkey: turkey@alfalaval.com Ukraine: ukraine.info@alfalaval.com United Arab Emirates: alme.marketing@alfalaval.com United Kingdom: general.uk@alfalaval.com United States: customerservice.usa@alfalaval.com Venezuela: venezuela.info@alfalaval.com Vietnam: vietnam.info@alfalaval.com Date of previous version: 23.11.2020 · Version number of previous version: 8 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 11)

EU



Page 11/11

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.05.2022

Version number 9 (replaces version 8)

Revision: 24.05.2022

Trade name: Paste P1900FM

(Contd. of page 10) EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent DBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered.