

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Special Heavy Duty Lubricant Oil 68
- · Article number: 54609781, 54609784
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Lubricating oil
- · 1.3 Details of the supplier of the safety data sheet
- · Supplier:

Alfa Laval Tumba AB Hans Stahles väg 7 S-147 80 Tumba Sweden +46 8 530 650 00

info.se@alfalaval.com

· Further information obtainable from:

For further questions regarding the safety data sheet, please contact your local Alfa Laval Sales Company which you find at www.alfalaval.com or in section 16 "Other Information" in the end of the safety data sheet

· 1.4 Emergency telephone number:

For immediate, life-threatening emergencies, call 999

For health advice and information (24h) dial 111 (NHS direct).

In Europe: Call 112 and ask for poison information.

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

Contact with eyes may result in mild irritation.

Prolonged and / or repeated skin contact may cause irritation.

- · Results of PBT and vPvB assessment
- · **PBT:** The product is not, nor contains, a substance that is, PBT.
- · **vPvB:** The product is not, nor contains a substance that is, vPvB.

GB



Page 2/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

Trade name: Special Heavy Duty Lubricant Oil 68

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Synthetic base oil with additives.

· Dangerous components:		
CAS: 128-37-0 EINECS: 204-881-4 Reg.nr.: 01-2119565113-46	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	0.25-<1%
CAS: 110-25-8 EINECS: 203-749-3	oleoylsarcosine Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H332; Skin Irrit. 2, H315	0.1-<1%

[•] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Call a POISON CENTER/doctor if you feel unwell.
- · After inhalation: Supply fresh air; consult doctor if symptoms persists.
- · After skin contact:

Wash with water and soap.

If skin irritation continues, consult a doctor.

· After eve contact:

Rinse opened eye for several minutes under running water and consult a doctor.

After swallowing:

Rinse the mouth with water.

Do NOT induce vomiting.

Contact a doctor/physician.

4.2 Most important symptoms and effects, both acute and delayed

High pressure injection under skin: local necrosis.

Prolonged and / or repeated skin contact may cause irritation.

Contact with eyes may result in mild irritation.

Low acute toxicity, but aspiration following ingestion and vomiting may cause severe and potentially fatal chemical pneumonia.

4.3 Indication of any immediate medical attention and special treatment needed

Product in use under high pressure that has been forced under the skin, is a serious situation that requires IMMEDIATE hospital treatment.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Foam

Fire-extinguishing powder

Carbon dioxide

Water spray

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Not applicable.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)



Page 3/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

Trade name: Special Heavy Duty Lubricant Oil 68

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Do not breathe vapour.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of aerosols.

Ensure adequate ventilation

When using do not eat, drink or smoke.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s)

Lubricating oil

Professional use only.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: Use only in well-ventilated areas.

(Contd. on page 4)

- GB -



Page 4/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

Trade name: Special Heavy Duty Lubricant Oil 68

(Contd. of page 3)

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 128-37-0 2,6-di-tert-butyl-p-cresol

WEL Long-term value: 10 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Do not carry product impregnated cleaning cloths in trouser pockets.

Take off contaminated clothing.

Wash hands before breaks and at the end of work.

· Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Eye protection:** Wear eye/face protection.
- · Body protection: Wear protective clothing.
- Limitation and supervision of exposure into the environment

Do not allow to enter sewers/ surface or ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid Colour: Red

Odour: CharacteristicOdour threshold: Not determined.

· **pH-value:** Not determined.

Change in condition

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.

· Flash point: 245 °C

· Flammability (solid, gas): Not applicable.

(Contd. on page 5)



Page 5/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

Trade name: Special Heavy Duty Lubricant Oil 68

	(Contd. of page
Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
Oxidising properties	Not applicable.
Vapour pressure:	Not applicable.
Density at 15 °C:	0.85 g/cm³ (DIN EN ISO 12185)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Insoluble.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic at 40 °C:	68 mm ² /s (DIN EN ISO 3104)
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity Material is stable under normal conditions.
- · 10.2 Chemical stability

Stable under normal temperature conditions and under recommended usage and storage.

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid High temperature
- 10.5 Incompatible materials: Reacts with acids, alkalis and oxidising agents.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
CAS: 128-37-0 2,6-di-tert-butyl-p-cresol			
Oral	LD50	>2,930 mg/kg (Rat) (OECD 401)	
Dermal	LD50	>5,000 mg/kg (Rat) (OECD 402)	
CAS: 110-25-8 oleoylsarcosine		sarcosine	
Oral	LD50	>5,000 mg/kg (Rat)	
Inhalative	LC50 (4 h)	1.37 mg/L (Rat)	
		(Contd. on page 6)	

on page of



Page 6/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

Trade name: Special Heavy Duty Lubricant Oil 68

(Contd. of page 5)

- · Primary irritant effect:
- · Skin corrosion/irritation Prolonged and / or repeated skin contact may cause irritation.
- Serious eye damage/irritation Contact with eyes may result in mild irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Acute effects (acute toxicity, irritation and corrosivity)

High pressure injection under skin: local necrosis.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS: 128-37-0 2,6-di-tert-butyl-p-cresol		
EC50 (48 h)	0.61 mg/L (Daphnia) (OECD 202)	
NOEC - No observed effect concentration	>0.39 mg/l (Daphnia) 21 d	
CAS: 110-25-8 oleoylsarcosine		
LC50 (96 h)	6.8 mg/L (Fish)	
EC50 (48 h)	0.43 mg/L (Daphnia)	
EC50 (72 h)	6.3 mg/L (Algae)	
NOEC - No observed effect concentration	0.91 mg/l (Algae) 72 h	

· 12.2 Persistence and degradability

The product is not easily, but potentially biodegradable.

CAS: 128-37-0 2,6-di-tert-butyl-p-cresol

Biodegradability 30 % (OECD 302C)

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil

The product is not expected to be mobile in soil.

Low solubility, product floats on water. Absorbs to soil particles.

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** The product is not, nor contains, a substance that is, PBT.
- · **vPvB:** The product is not, nor contains a substance that is, vPvB.
- · 12.6 Other adverse effects

Spills may form a film on the water surface. This film may cause physical damage to aquatic organisms and reduce oxygen transfer.

GB



Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

Trade name: Special Heavy Duty Lubricant Oil 68

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Hand over to hazardous waste disposers.

Delivery of waste oil to offically authorised collectors only.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

The European Waste Catalogue (EWC) waste codes do not refer to product but to origin. The manufacturer is therefore unable to quote a waste code for products which are used in various industries. Any codes shown should be regarded as a recommendation to the user.

	O 00 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19)	
13 02 00	waste engine, gear and lubricating oils	
13 02 06*	02 06* synthetic engine, gear and lubricating oils	

- · Uncleaned packaging:
- · Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Transport in bulk according to Another Marpol and the IBC Code	nex II Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulation (EC) no 1272/2008 (CLP)

(Contd. on page 8)



Page 8/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

Trade name: Special Heavy Duty Lubricant Oil 68

(Contd. of page 7)

EC DIRECTIVE 2008/98/EC (waste)

TSCA (Toxic Substance Control Act) - All chemical components in this material are included in, or are exceptions from the TSCA listing.

DSL/NDSL - FULFILS PICCS - FULFILS ENCS - FULFILS IECSC - FULFULS AICS - FULFILS KECL - FULFILS

EU Regulation (EC) no.1907/2006 (REACH)

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. LIMITATION OF LIABILITY

This document is only intended to be used as guidance as regards the risks of which we are aware that are associated with the product. Every individual who works with the product or in close proximity of it must receive suitable training. Individuals who come into contact with the product must be capable of using their own judgement as regards conditions or methods for handling, storing and using the product. Alfa Laval is not liable for demands, losses or damage of any kind that arise from flaws or deficiencies in this document or from using, handling, storing or disposing of the product unless it can be proven that Alfa Laval has acted in a grossly negligent manner. Beyond what has been agreed upon and specified in writing with Alfa Laval in the individual case, Alfa Laval makes no promises or assumes any liability, including but not limited to implicit guarantees regarding marketability or appropriateness in terms of both the information provided in this document and the product to which the information refers.

Please contact your local Alfa Laval Sales Company for further questions. www.alfalaval.com

Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

· Department issuing SDS: Alfa Laval Corporate Standards & Regulatory Operations

Contact:

Please contact your local Alfa Laval Sales Company for further questions.

Argentina: alfa.consulta@alfalaval.com Australia: australia.info@alfalaval.com Austria: info.mideurope@alfalaval.com Belgium: benelux.info@alfalaval.com Bolivia: alfa.consulta@alfalaval.com Brazil: alfalaval.br@alfalaval.com Bulgaria: bulgaria.info@alfalaval.com Canada: alfacan.info@alfalaval.com Chile: chile.informacion@alfalaval.com

(Contd. on page 9)



Page 9/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

Trade name: Special Heavy Duty Lubricant Oil 68

(Contd. of page 8)

China: china.info@alfalaval.com Colombia: info.colombia@alfalaval.com Croatia: hrvatska.info@alfalaval.com

Czech Republic: czechrepublic.info@alfalaval.com

Denmark: info.nordic.dk@alfalaval.com Egypt: alme.marketing@alfalaval.com Estonia: estonia.info@alfalaval.com Finland: info.fi@alfalaval.com

France: environnement@alfalaval.com
Germany: info.mideurope@alfalaval.com
Greece: greece.info@alfalaval.com
Hungary: info.hu@alfalaval.com
India: india.info@alfalaval.com
Indonesia: alfalindo@alfalaval.com
Israel: israel.info@alfalaval.com
Italy: alfalaval.italia@alfalaval.com
Latvia: latvia.info@alfalaval.com
Lithuania: lithuania.info@alfalaval.com
Malaysia: malaysia.info@alfalaval.com
Mexico: mexico.info@alfalaval.com

The Netherlands: benelux.info@alfalaval.com New Zealand: newzealand.info@alfalaval.com

Norway: info.no@alfalaval.com Peru: ventas.peru@alfalaval.com

Philippines: philippines.info@alfalaval.com
Poland: poland.info@alfalaval.com
Portugal: portugal.info@alfalaval.com
Qatar: alme.marketing@alfalaval.com
Romania: romania.info@alfalaval.com
Russia: moscow.response@alfalaval.com
Singapore: al.singapore@alfalaval.com
Slovak Republic: slovakia.info@alfalaval.com
Slovenia: slovenija.info@alfalaval.com

South Africa: info.sa@alfalaval.com Spain: info.spain@alfalaval.com Sweden: info.se@alfalaval.com

Switzerland: info.mideurope@alfalaval.com

Taiwan: taiwan.info@alfalaval.com Thailand: thailand.info@alfalaval.com Turkey: turkey@alfalaval.com Ukraine: ukraine.info@alfalaval.com

United Arab Emirates: alme.marketing@alfalaval.com

United Kingdom: general.uk@alfalaval.com

United States: customerservice.usa@alfalaval.com

Venezuela: venezuela.info@alfalaval.com Vietnam: vietnam.info@alfalaval.com

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)



Page 10/10

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.11.2020 Version number 11 Revision: 11.11.2020

Trade name: Special Heavy Duty Lubricant Oil 68

(Contd. of page 9)

LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - inhalation - Category 4
Skin Irrit. 2: Skin corrosion/irritation - Category 2
Eye Dam. 1: Serious eye damage/eye irritation - Category 1
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

**Pata compared to the provious version altered.

* Data compared to the previous version altered.